




COROBRIK[®]

COROBRIK
CLAY PAVING

CRAFTING EXCELLENCE IN CLAY PAVING

Corobrik is the leading South African manufacturer and supplier of clay paving products. With a rich history spanning over a century, Corobrik is renowned for its high-quality, durable, and stylish range. Offering a variety of colours, textures, and shapes, Corobrik's distinctive products cater to various architectural styles and construction needs, making them a trusted choice for residential, commercial, and industrial projects.

Features & Benefits	3
Design Versatility	4
Colour Range	5-15
Enquiry	16



FEATURES & BENEFITS

VIBRANT TODAY, VIBRANT ALWAYS

DURABILITY

Clay pavers are extremely durable and resistant to wear and tear, making them ideal for driveways, Braai's, pools and patios.

SLIP RESISTANCE

The natural texture of clay pavers provides a non-slip surface, making them safe for walking even when wet.

LOW MAINTENANCE

Clay pavers require minimal maintenance. They are resistant to stains and can be easily cleaned with water and a mild detergent.

WEATHER RESISTANCE

Clay pavers are highly resistant to extreme weather conditions, including frost and heat.

AESTHETIC APPEAL

Available in a wide range of colours, textures, and shapes, clay pavers add a timeless and natural beauty to any outdoor space.

COLOUR RETENTION

The natural colours of clay pavers do not fade over time, maintaining their vibrant appearance forever.

VERSATILITY

Suitable for various applications, including commercial & residential - driveways, patios, braai's, walkways, pool surrounds, and so much more, offering design flexibility.

ECO-FRIENDLY

Clay pavers are made from natural clay and are free from harmful chemicals and pigments contributing to a healthier environment.




SCAN FOR COROBRIK CLAY
PAVING LAYING PATTERNS





DESIGN VERSATILITY

CHAMPAGNE



CEDERBERG



NAMAQUASTONE



TUSCAN BLEND




BURGUNDY



IRONSTONE



NOUGAT



NUTMEG



GRAPHITE




ONYX



CLAY PAVING RANGE



— CHAMPAGNE PA



COBBLE



Available in 50mm thickness

Paving Per M² (3mm Joint) = 80

MODULAR



Available in 50mm & 65mm thickness

Paving Per M² (3mm Joint) = 41 & 48

PIAZZA



Available in 50mm thickness


Paving Per M² (3mm Joint) = 82

DOPPIO




Available in 50mm thickness

Paving Per M² (3mm Joint) = 20



— CEDERBERG PA



COBBLE



Available in 50mm thickness

Paving Per M² (3mm Joint) = 80

MODULAR



Available in 50mm & 65mm thickness

Paving Per M² (3mm Joint) = 41 & 48

PIAZZA



Available in 50mm thickness


Paving Per M² (3mm Joint) = 82

DOPPIO



Available in 50mm thickness

Paving Per M² (3mm Joint) = 20



TUSCAN BLEND PA



COBBLE



Available in 50mm thickness

Paving Per M² (3mm Joint) = 80

MODULAR



Available in 50mm & 65mm thickness

Paving Per M² (3mm Joint) = 41 & 48

PIAZZA



Available in 50mm thickness

Paving Per M² (3mm Joint) = 82

DOPPIO




Available in 50mm thickness

Paving Per M² (3mm Joint) = 20



BURGUNDY PA



COBBLE



Available in 50mm thickness

Paving Per M² (3mm Joint) = 80

MODULAR



Available in 50mm & 65mm thickness

Paving Per M² (3mm Joint) = 41 & 48

PIAZZA



Available in 50mm thickness


Paving Per M² (3mm Joint) = 82

DOPPIO



Available in 50mm thickness

Paving Per M² (3mm Joint) = 20



— NOUGAT PA



COBBLE



Available in 50mm thickness

Paving Per M² (3mm Joint) = 80

MODULAR



Available in 50mm & 65mm thickness

Paving Per M² (3mm Joint) = 41 & 48

PIAZZA



Available in 50mm thickness


Paving Per M² (3mm Joint) = 82

DOPPIO




Available in 50mm thickness

Paving Per M² (3mm Joint) = 20



NUTMEG PA



COBBLE



Available in 50mm thickness

Paving Per M² (3mm Joint) = 80

MODULAR



Available in 50mm & 65mm thickness

Paving Per M² (3mm Joint) = 41 & 48

PIAZZA



Available in 50mm thickness

Paving Per M² (3mm Joint) = 82

DOPPIO



Available in 50mm thickness

Paving Per M² (3mm Joint) = 20



GRAPHITE PA



COBBLE



Available in 50mm thickness

Paving Per M² (3mm Joint) = 80

MODULAR



Available in 50mm & 65mm thickness

Paving Per M² (3mm Joint) = 41 & 48

PIAZZA



Available in 50mm thickness


Paving Per M² (3mm Joint) = 82

DOPPIO



Available in 50mm thickness

Paving Per M² (3mm Joint) = 20



ONYX PA



COBBLE



Available in 50mm thickness

Paving Per M² (3mm Joint) = 80

MODULAR



Available in 50mm & 65mm thickness

Paving Per M² (3mm Joint) = 41 & 48

PIAZZA



Available in 50mm thickness


Paving Per M² (3mm Joint) = 82

DOPPIO



Available in 50mm thickness

Paving Per M² (3mm Joint) = 20





ELEVATE DEVELOPMENT |
GASS ARCHITECTS | MIKE
BUYSKES CONSTRUCTION

NAMAQUASTONE^{PB}



108.5MM

220MM



MODULAR

Available in 50mm &
65mm thickness

*Paving Per M² (3mm
Joint) = 41 & 48*



IRONSTONE MODULAR
PAVERS | NIC BALETA

IRONSTONE^{PB}



108.5MM

220MM



MODULAR

Available in 50mm &
65mm thickness

*Paving Per M² (3mm
Joint) = 41 & 48*

PAVE THE WAY WITH CLAY

For more information on our range of special shapes, including Bullnose Pavers and more, please contact your nearest Corobrik Sales Centre or Representative.

Variations in colour, texture, and size are natural characteristics of clay products and production variations can occur from batch to batch. Whilst every effort is made to provide samples, brochures, and displays consistent with products delivered to site, they should be viewed as a guide only.





KWAZULU-NATAL
DURBAN

031 560 3111
20 Toncoro Road, Avoca,
Durban

GAUTENG
JOHANNESBURG

011 871 8600
2 Dick Kemp Street,
Meadowdale, Edenvale

WESTERN CAPE
DURBANVILLE

021 888 2300
Klipheuwel Road,
Phesantekraal, Durbanville



**FIND A SALES
CENTRE**



**REQUEST A
QUOTE**